



BEST MACHINERY CO., LTD.

Africa service center & Reach you by 5Hours
 Help establish & empower 1000+ industrial enterprises in 10 years

BEST Machinery Co., Ltd.

📍 Add: Hebei, China

☎ Tel:+86-312-5903671

📞 Whatsapp/Mob:+86-18331068342

🌐 Website: ChinaBestMachinery.com

✉ Email: info@ChinaBestMachinery.com



Whatsapp



E-Catalogue



Wechat



Website

● **Mission**

Help establish & empower 1000+ industrial enterprises in 10 years

● **Vision**

To make Our African Industrialization Dream (OAID) come true.

● **Value**

Diversity: Respecting diversity and giving the best of comparison.

Establishing an employee equity program.

Respect: Treating others the way you want to be treated.

Responsibility: Embrace opportunities to contribute.

● **COMPANY PROFILE**


"Established in 2004, BEST Group is a professional production manufacturing enterprise of nails, iron wire, wire mesh, and other building metal products.

Our products are sold all over the world, and enjoy a high reputation in the Middle East, Africa and Southeast Asia market especially.

To better adapt to the current market development, our company has been forward-looking and successfully set up an office abroad in 2012 and had already invested in the local market with 5 factories at least till now.


As clients' requirements developed, Our Group started involved in the metal machinery business in 2022.

We believe that we are an extension of our customer's business, and a partner willing to go above and beyond to help our customers succeed. Because of this, our outstanding level of service is unmatched in the industry. That's a guarantee."



● BM-4C NAIL MAKING MACHINE

Low noise, long lifetime, mature technology, stable working, easy operation.



This machine adopts type structure so as to ensure the features such as high speed, low noise and less impact. Especially, it can make the high quality of common nails and oil rivet nail also other shaped nails used for high speed welding nailer and nail gun.

Main Specifications

Model No.	BM-1C	BM-2C	BM-3C	BM-4C	BM-5C	BM-6C
Diameter of nail	0.8-2.0mm	1.2-2.8 mm	1.8-3.4 mm	2.0-5.0mm	2.5-6.0mm	4.0-10mm
Length of nail	9-35mm	16-60 mm	25-90 mm	30-130 mm	50-150 mm	50-270mm
Working speed	560pcs/min	350pcs/min	280pcs/min	260pcs/min	180pcs/min	130pcs/min
Motor power	1.5 KW	2.2 KW	3 KW	4 KW	5.5 KW	11KW
Overall dimension	1350*900*1000	1650*1150*1100	1990*1200*1250	2200*1400*1300	2450*1450*1400	2800*1600*1500
Weight	450 kgs	750 kgs	1050 kgs	1600 kgs	1900 kgs	2500kgs

● BM-4A ROOFING NAIL MAKING MACHINE


Less Impact, Steady working, easy operating.



Main Specifications

Model No.	BM-4A
Max dia	4.5mm
Min dia	2.8mm
Max length	90mm
Min length	35mm
Designed output	110-130pcs/min
Motor power	4KW
Overall dimensions	2350*1512*2000
Weight	1850kg

Can make Umbrella head roofing nails, very popular in whole Africa & Latin America.




Punching machine for metals caps

Model	BMMP-35T
Design output	360pcs/min
Motor power	4.0kw
Weight	3000kg
Size	1500*1000*2000mm

● HIGH SPEED NAIL MAKING MACHINE

High speed, high quality, power saving features.

Automatic machine is designed and developed to be a highly automated electromechanical integrated products with the advanced technology.



Main Specifications

Model No.	BM-X50	BM-X90	BM-X130	BM-X150
Nail Diameter	1.9-3.0mm	2.0-3.6mm	2.4-4.2mm	2.5-4.8mm
Nail Length	32-60mm	35-90mm	50-130mm	70-150mm
Speed pcs/min	≤800/min	≤780/min	≤720/min	≤720/min
Power	5.5kw+1.5kw	5.5kw+1.5kw	7.5kw+2.2kw	11kw+2.2kw
External Size	1350*850*1170	1350*1220*1050	1550*1220*1050	1650*1250*1300
Control Cabinet	1500*800*1600	1500*800*1600	1500*800*1600	1500*800*1600
Weight	2200kg	2800kg	4200kg	4500kg



● NAIL THREADING MACHINE



Main Specifications

Model	BMJDCS-100
Shank diameter	Φ1.8 - 3.6mm
Max nail length	20-100 mm
Max speed	3000pcs/min(50mm)
Max power	6 kw
Dimensions	1350*1400*1600mm
Weight	1000kg


● COIL NAIL MAKING MACHINE




Model	BMJD-2000
Nails Diameter	1.8-5.0mm
Max Speed	3000pcs/min d 2.5 x 50mm below
Air Pressure	No less than 4 kgs/cm2
Cooling Water	2 Liters/min
Working Area	4000*3000mm
Total Weight	1000 kgs
Wrok Power	3PH, AC360V-450V, 50-60HZ, 5KW
Nail Length	25-100mm

Welder Power	DC300V-350V
Rated Power	8 kw
Power Max	10 kw
Working Cycle	7%
Welding Current	1500A-2000A (secondary side)
Welding wire	0.6mm,0.7mm,0.8mm
Nail Angle	15° /16°
Quantity per roll	120-1200pcs/roll

● STAPLE/BRAD NAIL/F NAIL MAKING MACHINE



Specification	Brand nail making machine	N/K/P Staple making machine	F/T nail making machine
Working scope	10J/4J/80/71/84/93	N/K/P/92/90/114/116	F10 F15 F20 F25 F30 F38 F50
Pcs/min	100-170Pcs/min	60-120Pcs/min	90-160Pcs/min
Width of material	80-150mm	60-150mm	80-140mm
Thickness of material	0.4-1.2mm	0.4-1.5mm	0.6-1.5mm
Capacity (8H)	600-1000Kg	700-1200Kg	1300-2200Kg
Material feeding	Air-driven	Air-driven	Air-driven
Operation mode	PLC control program & Sensing		
Voltage	380/50Hz/3Phase or Customized		
Power	5.5Kw	7.5Kw	7.5Kw
Weight	1430Kg	1560Kg	1890Kg
Size L*W*H	1400*1100*1750mm	1500*1100*1800mm	1550*1100*1750mm



● STAPLE/BRAD NAIL/F NAIL MAKING MACHINE

Less Impact, Steady working, easy operating.

Wire flattening machine

Model	BMYB-500
Wire thickness	0.65-1.5mm
Speed	≤500m/min
Wire taking up	Plastic H reels
Power	3Kw
Voltage	380/50Hz/3Phase or Customized
Capacity (8H)	1600-2000Kg
Weight	450Kg
Size L*W*H	1800*800*1500mm



Wire stitching machine

Model	BMPX-160
Max width	160mm
Thickness	0.4-1.8mm
Speed	15m/min
Wire taking up	Wire reels holder
Capacity (8H)	1800-3000Kg
Power	2.2Kw
Heating power	7.5kw
Voltage	380/50Hz/3Phase or Customized
Weight	750Kg
Size L*W*H	25000*800*1700mm




Water tank wire drawing & flattening machine

Model	BMSX-3000
Max inlet wire thickness	2.4mm
Min outlet wire thickness	0.4mm
Speed	≤800m/min
Power	33Kw
Weight	1700
Output 8h	1600-3000Kg
Cooling type	Water Cooling
Voltage	380/50Hz/3Phase or Customized
Weight	1700Kg
Size L*W*H	3000*1200*1200mm



● HEXAGONAL WIRE MESH MAKING MACHINE




Number of twist	6	Raw material	Galvanized wire, PVC coated wire
Wire diameter	≤2.0mm	Working speed	1/2" -- 60-65M/h, 1" -- 95-100M/h
Hole size	3/4" 1/2", 1", 1 1/2", 2"		2" -- 150-160M/h, 3" -- 180M/h
Roll width	Roll width	Motor capacity	2.3kw+2.3kw+2.3kw+5.7kw+0.75kw

● WELDED WIRE MESH MAKING MACHINE



Item	BM-1200	BM-1600	BM-2100	BM-2500
Electrodes qty	24	32	40	48
Max. Width	1200mm	1600mm	2100mm	2500mm
Wire Diameter	2.5-6.0mm	2.5-6.0mm	2.5-6.0mm	2.5-6.0mm
Mesh size	50-300mm	2.5-6.0mm	2.5-6.0mm	2.5-6.0mm
Electric Capacity	125KVA*3	125KVA*4	125KVA*5	125KVA*6
Welding Speed	40-80t/min	40-80t/min	40-60t/min	40-60t/min
Control System	PLC controller	40-80t/min	40-80t/min	40-80t/min


● CHAIN LINK FENCE MAKING MACHINE




Model	BM25-85	BM25-80	BM20-100
Wire diameter	2-4mm	2-4mm	1.3-4mm
Mesh opening	25-85mm	25-85mm	25-100mm
Mesh width	0.5-4m	0.5-4m	0.5-4m
Mesh length	30m, adjustable freely as your request		
Speed	120-150m ² /h	120-180m ² /h	70-80m ² /h
Mesh side	Knuckled and twisted, both knuckled, both twisted		
Raw material	Galvanized wire, PVC coated wire, etc.		
Size	6.7*1.43*1.8m	6.7*1.43*1.8m	4.2*2.2*1.7m
Weight	3900kg	4200kg	1800kg

● BARBED WIRE MAKING MACHINE

Model	CS-A Normal Double Twisted Barbed wire machine			
Power	3kw			
Voltage	380v			
Size	Main :2000*1200*1400mm Auxiliary:2000*650*800mm			
Weight	1000kg			
Main Wire Diameter	2.0-3.0mm			
Barb wire diameter	1.8-2.4mm			
Iron wire Stretching Resistance	400-600N/mm ²			
Barb Distance	3'(7.5cm)	4'(10cm)	5'(12.5cm)	6'(15cm)
Production	675m/h	900m/h	1125m/h	1350m/h
Production	120kg/h (eg: main wire-2.8mm,and barb wire- 2.2mm)			



Model	CS-B Single Twisted Barbed Wire Machine			
Power	3kw			
Voltage	380v			
Size	2700*1200*1500mm			
Weight	800kg			
Main Wire Diameter	2.0-3.2mm			
Barb wire diameter	1.8-2.4mm			
Iron wire Stretching Resistance	400-600N/mm ²			
Barb Distance	3'(7.5cm)	4'(10cm)	5'(12.5cm)	6'(15cm)
Production	500m/h	600m/h	750m/h	900m/h
Production	60kg/h (eg: main wire-2.8mm,and barb wire- 2.2mm)			












Model	CS-C Reverse Twisted Barb Wire Machine	
Power	3kw	
Voltage	380v	
Size	3000*1200*1500mm	
Weight	800kg	
Main Wire Diameter	1.6-2.8mm	
Barb wire diameter	1.6-2.4mm	
Iron wire Stretching Resistance	1100-1200N/mm ² (1.6 - 1.8 mmØ) 800-900N/mm ² (1.8-2.6mmØ) 400-500N/mm ² (2.7-2.8mmØ)	
Barb Distance	4'(10cm)	5'(12.5cm)
Production	600m/h	750m/h
Production	30kg/h (eg: main wire-1.6mm,and barb wire- 1.6mm)	



● CONCERTINA RAZOR WIRE MAKING MACHINE



Specification	Punching machine 25T	Coiling machine
Speed	220-280m/h	80-100Kgs/hours
Thickness	0.5-0.05mm	2-3mm
Motor	2.2 kw	1.5kw
Voltage	380/50Hz/3Phase or Customized	
Weight	2200kgs	300kgs
Dimension	1100*1000*2000mm	1100*750*1200
Raw material	Hot dipped GI sheets, SS steel sheet	Hot dipped galvanized wire

Mould Type				Illustration	Punch Capacity	
STYLE:	Barb Length	Barb Width	Barb Spacing		By 25T	By 40T
BTO-10	10±1mm	13±1mm	26±1mm		9 strips	Not suitable
BTO-12-1	12±1mm	13±1mm	26±1mm		9 strips	
BTO-12-2	12±1mm	15±1mm	26±1mm		9 strips	
BTO-18	18±1mm	15±1mm	33±1mm		9 strips	
BTO-22	22±1mm	15±1mm	34±1mm		9 strips	9 strips
BTO-28	28±1mm	15±1mm	48±1mm		7 strips	
BTO-30	30±1mm	18±1mm	49±1mm		7 strips	
BTO-60	60±1mm	32±1mm	96±1mm		Not suitable	5 strips
BTO-65	65±1mm	21±1mm	100±1mm		Not suitable	5 strips

● STRAIGHT LINE WIRE DRAWING MACHINE



MAIN SPECIFICATIONS

Model No.	DL400	DL560	DL600	DL800
Capstan diameter	400mm	560mm	600mm	800mm
Drawing drums	9drums	9drums	9drums	9drums
Inlet wire diameter	φ2.5-4.5mm	φ5.5-6.5mm	6.5-8.0mm	8.0-10mm
Outlet wire diameter	φ0.8-1.4mm	φ1.6-2.0mm	φ2.0-3.0mm	φ2.8-3.5mm
Drawing speed	10-16m/s	8-12m/s	6-12m/s	6-10m/s
Total reduction rate	90.32%	90.53%	90.53%	90.53%
Motor power	7.5-15Kw	22-37Kw	22-37Kw	37-75Kw

PULLEY TYPE WIRE DRAWING MACHINE

Type	Inlet dia	Outlet dia	Drums	Power	Speed(m/s)	Output (kg/h)
BMHLBS-4	6.5mm	3.8mm	4	15*4+1.5kw	10-12	500kg(3.8mm)
BMHLBS-5	4mm	2mm	5	7.5*5+1.5kw	15-20	200kg(2.0mm)



● NAIL MAKING AUXILIARY EQUIPMENT

WIRE ROLLING MACHINE

Diameter range	≤8mm
Motor power	2.2KW
Overall dimension	1.2*0.6*1.0m
Weight	80kg

BUTT WELDING MACHINE

Diameter range	≤8mm
Motor power	2KW
Overall dimension	1.1*0.6*1.0m
Weight	50kg




SPAREPARTS

NAIL CUTTER, NAIL MOULDS, PUNCH PIN, WIRE DRAWING DIES



NAIL POLISHING MACHINE



GRINDING MACHINE



Model No.	BM-P600	BM-P1000	BM-P1500	BM-P2000
Capacity	600 kgs	1000 kgs	1500 kgs	2000 kgs
Motor power	3 KW	5.5 KW	7.5 KW	11 KW
Overall dimension	1700*900*1100mm	2400*1000*1250mm	2650*1250*1300mm	2700*1300*1400mm
Weight	400 kgs	600 kgs	700 kgs	900 kgs

● **ELECTRIC FURNACE**

Annealing furnace suitable for steel wire aluminum wire copper wire



Main Specifications

Model No.	Electric furnace
Raw material	Low-carbon wire with spool 850*500
Capacity	12tons/24hours
Furnace boy texture	Q235iron sheet and 320mm alumina brick
Temperature control	Intelligent control
Annealing block	Aluminized block
Height of the furnace	2500mm

Working temperature	Maximum 980°
The inner diameter	1050mm
Voltage	Customized as your request
Motor	180KW
Power consumption	700-800KW per 8hours
Dimension	2.1*2.1*2.3m
Weight	4550KGS


● **GALVANIZING LINE FOR NAILS & IRON WIRE**



● OUR PROJECTS



● OUR AFRICA TEAM



● OUR CHINA TEAM

