








HEBEI, CHINA.



+86-18331068342



info@chinabestmachinery.com




BEST MACHINERY CO., LTD.

Help establish & empower 1000+ industrial enterprises in 10 years

● BM-4C NAIL MAKING MACHINE

Low noise, long lifetime, mature technology, stable working, easy operation.



This machine adopts type structure so as to ensure the features such as high speed, low noise and less impact. Especially, it can make the high quality of common nails and oil rivet nail also other shaped nails used for high speed welding nailer and nail gun.

Main Specifications

Model No.	BM-1C	BM-2C	BM-3C	BM-4C	BM-5C	BM-6C
Diameter of nail	0.8-2.0mm	1.2-2.8 mm	1.8-3.4 mm	2.0-5.0mm	2.5-6.0mm	4.0-10mm
Length of nail	9-35mm	16-60 mm	25-90 mm	30-130 mm	50-150 mm	50-270mm
Working speed	560pcs/min	350pcs/min	280pcs/min	260pcs/min	180pcs/min	130pcs/min
Motor power	1.5 KW	2.2 KW	3 KW	4 KW	5.5 KW	11KW
Overall dimension	1350*900*1000	1650*1150*1100	1990*1200*1250	2200*1400*1300	2450*1450*1400	2800*1600*1500
Weight	450 kgs	750 kgs	1050 kgs	1600 kgs	1900 kgs	2500kgs

● BM-4A ROOFING NAIL MAKING MACHINE


Less Impact, Steady working, easy operating.



Main Specifications

Model No.	BM-4A
Max dia	4.5mm
Min dia	2.8mm
Max length	90mm
Min length	35mm
Designed output	110-130pcs/min
Motor power	4KW
Overall dimensions	2350*1512*2000
Weight	1850kg

Can make Umbrella head roofing nails, very popular in whole Africa & Latin America.




Punching machine for metals caps

Model	BMMP-35T
Design output	360pcs/min
Motor power	4.0kw
Weight	3000kg
Size	1500*1000*2000mm

● HIGH SPEED NAIL MAKING MACHINE

High speed, high quality, power saving features.

Automatic machine is designed and developed to be a highly automated electromechanical integrated products with the advanced technology.





Main Specifications

Model No.	BM-X50	BM-X90	BM-X130	BM-X150
Nail Diameter	1.9-3.0mm	2.0-3.6mm	2.4-4.2mm	2.5-4.8mm
Nail Length	32-60mm	35-90mm	50-130mm	70-150mm
Speed pcs/min	≤800/min	≤780/min	≤720/min	≤720/min
Power	5.5kw+1.5kw	5.5kw+1.5kw	7.5kw+2.2kw	11kw+2.2kw
External Size	1350*850*1170	1350*1220*1050	1550*1220*1050	1650*1250*1300
Control Cabinet	1500*800*1600	1500*800*1600	1500*800*1600	1500*800*1600
Weight	2200kg	2800kg	4200kg	4500kg

● NAIL THREADING MACHINE

Main Specifications

Model	BMJDCS-100
Shank diameter	φ 1.8 - 4.8mm
Max nail length	20-100 mm
Max speed	500-1000pcs/min
Max power	15 kw
Working power	3kw, 380v
Dimensions	1350*1400*1600mm
Weight	1000kg




Model	BMJD-2000
Nails Diameter	2.0-3.8mm
Max Speed	3000pcs/min d 2.5 x 50mm below
Air Pressure	No less than 4 kgs/cm2
Cooling Water	2 Liters/min
Working Area	4000*3000mm
Total Weight	1600 kgs
Wrok Power	3PH, AC360V-450V, 50-60HZ, 5KW
Nail Length	25-130mm


Welder Power	DC300V-350V
Rated Power	8 kw
Power Max	10 kw
Working Cycle	7%
Welding Current	1500A-2000A (secondary side)
Welding wire	0.6mm, 0.7mm, 0.8mm
Nail Angle	15° /16°
Quantity per roll	120-1200pcs/roll

● BARBED WIRE MAKING MACHINE

Model	CS-A Normal Double Twisted Barbed wire machine			
Power	3kw			
Voltage	380v			
Size	Main :2000*1200*1400mm Auxiliary:2000*650*800mm			
Weight	1000kg			
Main Wire Diameter	2.0-3.0mm			
Barb wire diameter	1.8-2.4mm			
Iron wire Stretching Resistance	400-600N/mm ²			
Barb Distance	3'(7.5cm)	4'(10cm)	5'(12.5cm)	6'(15cm)
Production	675m/h	900m/h	1125m/h	1350m/h
Production	120kg/h (eg: main wire-2.8mm,and barb wire- 2.2mm)			




Model	CS-B Single Twisted Barbed Wire Machine			
Power	3kw			
Voltage	380v			
Size	2700*1200*1500mm			
Weight	800kg			
Main Wire Diameter	2.0-3.2mm			
Barb wire diameter	1.8-2.4mm			
Iron wire Stretching Resistance	400-600N/mm ²			
Barb Distance	3'(7.5cm)	4'(10cm)	5'(12.5cm)	6'(15cm)
Production	500m/h	600m/h	750m/h	900m/h
Production	60kg/h (eg: main wire-2.8mm,and barb wire- 2.2mm)			



Model	CS-C Reverse Twisted Barb Wire Machine	
Power	3kw	
Voltage	380v	
Size	3000*1200*1500mm	
Weight	800kg	
Main Wire Diameter	1.6-2.8mm	
Barb wire diameter	1.6-2.4mm	
Iron wire Stretching Resistance	1100-1200N/mmØ(1.6 - 1.8 mm Ø)	
	800-900N/mmØ(1.8-2.6mm Ø)	
	400-500N/mmØ(2.7-2.8mm Ø)	
Barb Distance	4'(10cm)	5'(12.5cm)
Production	600m/h	750m/h
Production	30kg/h (eg: main wire-1.6mm,and barb wire- 1.6mm)	



● CHAIN LINK FENCE MAKING MACHINE



Model	BM25-85	BM25-80	BM20-100
Wire diameter	2-4mm	2-4mm	1.3-4mm
Mesh opening	25-85mm	25-85mm	25-100mm
Mesh width	0.5-4m	0.5-4m	0.5-4m
Mesh length	30m,adjustable freely as your request		
Speed	120-150m ² /h	120-180m ² /h	70-80m ² /h
Mesh side	Knuckled and twisted,both knuckled,both twisted		
Raw material	Galvanized wire,PVC coated wire,etc.		
Size	6.7*1.43*1.8m	6.7*1.43*1.8m	4.2*2.2*1.7m
Weight	3900kg	4200kg	1800kg

● STRAIGHT LINE WIRE DRAWING MACHINE



1. High effective, high drawing speed in normal production
2. Easy operation, delightful man-machine interface
3. Optimized design, high reliability, low faults ratio
4. High quality finish wire due to no sliding, no torsion in drawing
5. Clean production environment due to install dust remove and air blowing system
6. Equip with advanced motors, high efficiency and saving energy
7. Low noise level compare to old type drawing machine
8. Perfect cooling system design—water cooling plus high pressure air cooling
9. Flexible control system for optional—Profibus or simulation input/output"



Main Specifications

Model No.	DL400	DL560	DL600	DL800
Capstan diameter	400mm	560mm	600mm	800mm
Drawing drums	9drums	9drums	9drums	9drums
Inlet wire diameter	φ 2.5–4.5mm	φ 5.5–6.5mm	6.5–8.0mm	8.0–10mm
Outlet wire diameter	φ 0.8–1.4mm	φ 1.6–2.0mm	φ 2.0–3.0mm	φ 2.8–3.5mm
Drawing speed	10–16m/s	8–12m/s	6–12m/s	6–10m/s
Total reduction rate	90.32%	90.53%	90.53%	90.53%
Motor power	7.5–15Kw	22–37Kw	22–37Kw	37–75Kw

● NAIL MAKING AUXILIARY EQUIPMENT

WIRE ROLLING MACHINE

Diameter range	≤8mm
Motor power	2.2KW
Overall dimension	1.2*0.6*1.0m
Weight	80kg

BUTT WELDING MACHINE

Diameter range	≤8mm
Motor power	2KW
Overall dimension	1.1*0.6*1.0m
Weight	50kg




SPAREPARTS

NAIL CUTTER, NAIL MOULDS, PUNCH PIN, WIRE DRAWING DIES



NAIL POLISHING MACHINE



GRINDING MACHINE



Model No.	BM-P600	BM-P1000	BM-P1500	BM-P2000
Capacity	600 kgs	1000 kgs	1500 kgs	2000 kgs
Motor power	3 KW	5.5 KW	7.5 KW	11 KW
Overall dimension	1700*900*1100mm	2400*1000*1250mm	2650*1250*1300mm	2700*1300*1400mm
Weight	400 kgs	600 kgs	700 kgs	900 kgs

● ELECTRIC FURNACE

Annealing furnace suitable for steel wire aluminum wire copper wire



Main Specifications

Model No.	Electric furnace
Raw material	Low-carbon wire with spool 850*500
Capacity	12tons/24hours
Furnace boy texture	Q235iron sheet and 320mm alumina brick
Temperature control	Intelligent control
Annealing block	Aluminized block
Height of the furnace	2500mm

Working temperature	Maximum 980°
The inner diameter	1050mm
Voltage	Customized as your request
Motor	180KW
Power consumption	700-800KW per 8hours
Dimension	2.1*2.1*2.3m
Weight	4550KGS

● GALVANIZING LINE FOR NAILS & IRON WIRE

